

United States Patent and Trademark Office

m

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,239	09/12/2003	David D. Brandt	03AB014A/ALBRP303USA 6849	
Susan M. Dona	7590 09/10/2007		EXAM	INER
Rockwell Automation 704-P, IP Department			PHAM, THOMAS K	
1201 South 2nd		•	ART UNIT	PAPER NUMBER
Milwaukee, WI 53204			2121	
			· · · · · · · · · · · · · · · · · · ·	
			MAIL DATE	DELIVERY MODE
			09/10/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application No.	Applicant(s)		
		10/661,239	BRANDT ET AL.		
		Examiner	Art Unit		
		Thomas K. Pham	2121		
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address		
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. In period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D. (35 U.S.C. 8 133)		
Status					
2a)⊠	Responsive to communication(s) filed on 25 Ju. This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Dispositi	on of Claims				
5)	Claim(s) 1-33 is/are pending in the application. 4a) Of the above claim(s) is/are withdray Claim(s) is/are allowed. Claim(s) 1-33 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or con Papers The specification is objected to by the Examine The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	vn from consideration. r election requirement. r. epted or b) □ objected to by the formula drawing(s) be held in abeyance. Section is required if the drawing(s) is objected to by the formula drawing(s).	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
2) 🔲 Notic 3) 🔲 Infon	t(s) te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate		

Application/Control Number: 10/661,239 Page 2

Art Unit: 2121

Response to Amendment

1. This is in response to the request for re-consideration filed 06/25/2007.

2. Applicant's arguments with respect to claim1-33 have been considered but they are not persuasive.

Quotations of U.S. Code Title 35

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. The claims and only the claims form the metes and bounds of the invention. "Office personnel are to give claims their broadest reasonable interpretation in light of the supporting disclosure. In re Morris, 127 F.3d 1048, 1054-55, 44 USPQ2d 1023, 1027-28 (Fed. Cir 1997). Limitations appearing in the specification but not recited in the claim are not read into the claim. In re Prater, 415 F.2d 1393, 1404-05, 162 USPQ541, 550-551 (CCPA 1969)" (MPEP p2100-8, c 2, I 45-48; p 2100-9, c 1, I 1-4). The Examiner has full latitude to interpret each claim in the broadest reasonable sense. The Examiner will reference prior art using terminology familiar to one of ordinary skill in the art. Such an approach is broad in concept and can be either explicit or implicit in meaning.

Claim Rejections - 35 USC § 102

6. Claims 1, 5-7, 9, 10, 20, 23-25, and 27-29 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent No. 6,421,571 ("Spriggs").

Regarding claim 1

Spriggs teaches "an automation security system, comprising: an asset component that defines an industrial automation device" (see C 3 L 20-24 "asset management system for protecting and managing industrial plant assets"); "an access component that defines a security attribute associated with the industrial automation device" (see C 14 L 20-39 and C 27 L 64 to C 28 L 1-2 "settings security based on each user associates with different instrumentations of the industrial plant"); "and a security component that regulates access to the industrial automation device based upon the security attribute" (see C 28 L 2-4 "a security manager module 222 regulates

access to the control and configuration of devices such as a portable system or an on-line system based upon security attribute of each user").

It should be noted that since claimed limitations are broad enough, the security manager module 222 of Spriggs is sufficient to cover the security component as claimed.

Regarding claim 20

Spriggs teaches "an automation security system, comprising: a server that manages a network interface between networked industrial automation devices and other devices attempting access to the networked industrial automation devices" (see C 3 L 20-24 and L 31-57 "asset management system for protecting and managing industrial plant assets on a network"); "a security management module associated with the network interface that enforces an enterprise wide policy and that manages security threats directed to the networked industrial automation devices" (see C 14 L 20-39 and C 27 L 64 to C 28 L 1-4 "a security manager module 222 enforces security settings for system 10. The security settings are based on each user to access different instrumentations of the industrial plant such as a portable system or an on-line system").

It should be noted that since claimed limitations are broad enough, the security manager module 222 of Spriggs is sufficient to cover the security component as claimed.

Regarding claim 24

Spriggs teaches "an automation security methodology, comprising: electronically analyzing an industrial automation device" (see C 3 L 20-24 and L 31-57 "asset management system for protecting and managing industrial plant assets on a network"); "programmatically modeling the industrial automation device in accordance with network security considerations" (see C 6 L 55-

Application/Control Number: 10/661,239 Page 5

Art Unit: 2121

61); "and automatically developing a security framework for an automation system based in part

on the modeling of the industrial automation device and a network access type" (see C 14 L 20-

39 and C 27 L 64 to C 28 L 1-4 "a security manager module 222 enforces security settings for

system 10. The security settings are based on each user to access different instrumentations of

the industrial plant such as a portable system or an on-line system").

It should be noted that since claimed limitations are broad enough, the security manager

module 222 of Spriggs is sufficient to cover the security component as claimed.

Regarding claim 28

Spriggs teaches "an automated security system for an automation control environment,

comprising: means for defining one or more security attributes associated with at least one

network request" (see C 3 L 20-24 and L 31-57 "asset management system for protecting and

managing industrial plant assets on a network"); "means for processing the one or more security

attributes" (see C 14 L 20-39 and C 27 L 64 to C 28 L 2 "settings security based on each user for

accessing different instrumentations of the industrial plant"); "means for automatically

determining which network devices require security resources" (see C 17 L 11-18); "means for

controlling access to at least one of a network device and an industrial automation component

based in part on the one or more security attributes" (see C 28 L 2-4 "a security manager

module 222 regulates access to the control and configuration of devices such as a portable

system or an on-line system based upon security attribute of each user").

It should be noted that since claimed limitations are broad enough, the security manager

module 222 of Spriggs is sufficient to cover the security component as claimed.

Regarding claim 29

Application/Control Number: 10/661,239 Page 6

Art Unit: 2121

Spriggs teaches "a security schema for a factory automation system, comprising: a first data

field that describes industrial automation devices" (see C 3 L 20-24 and L 31-57 "asset

management system for protecting and managing industrial plant assets on a network"); "a

second data field that describes security parameters for the industrial automation devices" (see

C 14 L 20-39 and C 27 L 66 to C 28 L 1-2 "settings security based on each user for accessing

different instrumentations of the industrial plant"); "and a schema that associates the first and

second data fields, the schema employed to limit access to the industrial automation devices

based upon the security parameters" (see C 28 L 2-4 "a security manager module 222 regulates

access to the control and configuration of devices such as a portable system or an on-line system

based upon security attribute of each user").

It should be noted that since claimed limitations are broad enough, the security manager

module 222 of Spriggs is sufficient to cover the security component as claimed.

Regarding claim 5

Spriggs teaches the asset component describes at least one of factory components and groupings,

the factory components are at least one of sensors, actuators, controllers, I/O modules,

communications modules, and human-machine interface (HMI) devices (see C 3 L 45-52 and C

7 L 2-5).

Regarding claim 6

Spriggs teaches the groupings include factory components that are grouped into at least one of

machines, machines grouped into lines, and lines grouped into facilities (see C 3 L 53-57).

Regarding claim 7

Spriggs teaches the groupings have associated severity attributes such as at least one of risk and security incident cost (see C 4 L 31-37).

Regarding claim 9

Spriggs teaches a set of generic IT components and specifies parameters to assemble and configure the IT components to achieve flexible access to the industrial automation device (see C 6 L 55-61).

Regarding claim 10

Spriggs teaches the IT components include at least one of switches with virtual local area network (VLAN) capability, routers with access list capability, firewalls, virtual private network (VPN) termination devices, intrusion detection systems, AAA servers, configuration tools, and monitoring tools (see C 7 L 26-44).

Regarding claim 23

Spriggs teaches at least one of: an authentication with the one or more servers to establish a secure link; a secure link to authenticate and authorize access to a requestor of the networked industrial automation device; and establishment of a secure session with the requestor if access is authorized (see C 3 L 45-52 and C 7 L 2-5).

Regarding claim 25

Spriggs teaches analyzing one or more security attributes to determine whether access should be granted to the one or more industrial automation assets (see C 3 L 20-25).

Regarding claim 27

Spriggs teaches at least one of: determining whether to grant access to the one or more automation assets; granting access from the industrial automation device; and granting access

from the industrial automation device; and granting access from a network device associated with the industrial automation device (see C 27 L 65 to C 28 L 6).

7. Claims 2-4, 11-19, 21, 22, 26, and 30-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spriggs in view of U.S. Patent Application Publication No. 2004/0034774 ("Le Saint").

Regarding claims 2-4, 26 and 30

Spriggs does not specifically discuss the one or more or more security attributes including at least one of a role attribute, a time attribute, a location attribute, and an access type attribute; the security component is based on at least one of a formal threat analysis, a vulnerability analysis, a factory topology mapping and an attack tree analysis; the security component is based on at least one of automation and process control security, cryptography, and Authentication/Authorization/Accounting (AAA).

However, Le Saint teaches the one or more or more security attributes including at least one of a role attribute, a time attribute, a location attribute, and an access type attribute (see paragraphs 6 and 10); the security component is based on at least one of a formal threat analysis, a vulnerability analysis, a factory topology mapping and an attack tree analysis (see paragraph 48); the security component is based on at least one of automation and process control security, cryptography, and Authentication/Authorization/Accounting (AAA) (see paragraph 13).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the security attributes and security component of Le Saint with the

system of Spriggs because it would provide for the purpose of enforcing control aspect stated in the attributes including security policies and delegated privilege state.

Regarding claims 11-22 and 31-33

Spriggs does not specifically disclose security parameters and policies that are developed for physical and electronic security for various component types; at least one of security protection levels, identification entry capabilities, integrity algorithms, and privacy algorithms; the security component includes at least one of authentication software, virus detection, intrusion detection, authorization software, attack detection, protocol checker, and encryption software; at least one of acts as an intermediary between an access system and one or more automation components, and facilitates communications between the access system and the one or more automation components; the security attributes are specified as part of a network request to gain access to the one or more factory assets, the security attributes included in at least one of a group, set, subset, and class; the security component employs at least one authentication procedure and an authorization procedure to process the network request; one or more security protocols including at least one of Internet Protocol Security (IPSec), Kerberos, Diffie-Hellman exchange, Internet Key Exchange (IKE), digital certificate, pre-shared key, and encrypted password, to process the network request; at least one of an access key and a security switch to control network access to a device or network; the access key further comprises at least one of time, location, batch, process, program, calendar, GPS (Global Positioning Information) to specify local and wireless network locations, to control access to the device or network; the security management module at least one of schedules audits, establishes a security policy, applies the policy from a single or distributed console, and generates reports that identify potential weaknesses in security; the

security management module provides an interface to at least one of add, delete and modify security rights of an individual, a group, or a device and distribute security information to various controllers and control devices; a response schema to provide status to a requesting network device; the response schema including at least one of a status field, a time field, an access type field, an access location field, and a key field, an attachment field to indicate other security data follows the response schema.

However, Le Saint teaches security parameters and policies that are developed for physical and electronic security for various component types (see paragraph 50); at least one of security protection levels, identification entry capabilities, integrity algorithms, and privacy algorithms (see paragraph 50); the security component includes at least one of authentication software, virus detection, intrusion detection, authorization software, attack detection, protocol checker, and encryption software (see paragraph 52); at least one of the industrial automation devices acts as an intermediary between an access system and one or more automation components, and facilitates communications between the access system and the one or more automation components (see paragraph 52); the security attributes are specified as part of a network request to gain access to the one or more factory assets, the security attributes included in at least one of a group, set, subset, and class; the security component employs at least one authentication procedure and an authorization procedure to process the network request (see paragraph 57); one or more security protocols including at least one of Internet Protocol Security (IPSec), Kerberos, Diffie-Hellman exchange, Internet Key Exchange (IKE), digital certificate. pre-shared key, and encrypted password, to process the network request (see paragraph 54);

Page 11

at least one of an access key and a security switch to control network access to a device or network; the access key further comprises at least one of time, location, batch, process, program, calendar, GPS (Global Positioning Information) to specify local and wireless network locations, to control access to the device or network (see paragraph 57); the security management module at least one of schedules audits, establishes a security policy, applies the policy from a single or distributed console, and generates reports that identify potential weaknesses in security; the security management module provides an interface to at least one of add, delete and modify security rights of an individual, a group, or a device and distribute security information to various controllers and control devices (see paragraph 60); a response schema to provide status to a requesting network device; the response schema including at least one of a status field, a time field, an access type field, an access location field, and a key field, an attachment field to indicate other security data follows the response schema (see paragraph 63).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the security system of Le Saint with the system of Spriggs because it would provide for the purpose of enforcing control aspect stated in the attributes including security policies and delegated privilege state.

8. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,421,571 ("Spriggs").

Regarding claim 8

Spriggs do not specifically teach an ISA S95 Model for Enterprise to Control System integration to integrate security aspects across or within respective groupings. "Official Notice" is taken that

both the concept and advantages of providing an ISA S95 Model for Enterprise to Control

System integration to integrate security aspects across or within respective groupings is well

known and expected in the art. U.S. Patent Application Publication No. 2003/0014500 to

Schleiss et al. discloses a preferred flow of communication between various process control and

information technology systems are typically found within an enterprise defined by an ISA S95

model international standard (see paragraphs 7 and 8). It would have been obvious to one of

ordinary skill in the art to include the ISA S95 model for Enterprise to Control system to Spriggs

because it would provide for interacting between production or process control systems,

enterprise resource planning systems and manufacturing execution systems to facilitate the

integration of these systems.

Response to Arguments

In the remarks, applicant's argues that cited reference fails to teach:

I) "defining a security attribute associated with the industrial automation device, and a

security component that regulates access to the industrial automation device based upon the

security attribute" as to claims 1, 28 and 29.

"enforcing an enterprise wide policy and managing security threats directed to the II)

networked industrial automation devices" as to claim 20.

"automatically developing a security framework for an automation system" as to claim

24.

III)

In response to the remarks,

Application/Control Number: 10/661,239

Art Unit: 2121

Prior art Spriggs et al. (USPN 6,421,571) teaches a security manager module 222 is setting security attribute for each of the user, where the setting is used to regulate user access a particular device for controlling and configuring the device. For example, some user can gain access to control and configure a portable system but not for an on-line system of the industrial plant as described in column 14 lines 20-29, column 27 line 64 to column 28 line 4.

Page 13

Applicant argues that with the system of Spriggs et al., one could still access the device outside of the system. However, it should be noted that since claimed invention are broad enough that the security manager module 222 of Spriggs is sufficient to cover the security component of the limitations as claimed.

- II) The security manager module 222 of Spriggs enforces security settings for the entire system 10. The security manager module 222 regulates access to different instrumentations of the industrial plant based on security setting of each individual user in association with the different instrumentations or devices as described in column 14 lines 20-39 and column 27 line 64 to column 28 line 4.
- III) Similar to II) above, the security manager module 222 of Spriggs enforces security settings for the entire system 10 within it security frame work created for each of the user in association with the different instrumentations or devices. The security manager module 222 regulates access to different instrumentations of the industrial plant based on security setting of each individual user as described in column 14 lines 20-39 and column 27 line 64 to column 28 line 4.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner *Thomas Pham*; whose telephone number is (571) 272-3689, Monday - Friday from 7:30 AM - 4:00 PM EST or contact Supervisor *Mr. Anthony Knight* at (571) 272-3687.

Any response to this office action should be mailed to: Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450. Responses may also be faxed to the official fax number (571) 273-8300.

Thomas Pham

Primary Examiner

August 31, 2007